

Status

SNMP Event Log : This page displays the contents of the SNMP event log.

Time	Priority	Description
Sun Jul 10 22:51:03 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Tue Jul 12 22:08:58 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Tue Jul 12 22:08:59 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Sat Jul 16 10:08:16 2022	Error (4)	DHCP RENEW WARNING - Field invalid in response v4 option;CM-...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Sun Jul 17 16:52:30 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Sun Jul 17 16:52:33 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Sun Jul 17 18:05:25 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Sun Jul 17 18:05:26 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Sun Jul 17 22:52:31 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Sun Jul 17 22:52:32 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4

Mon Jul 18 19:13:39 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Mon Jul 18 19:13:40 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Tue Jul 19 13:10:52 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Tue Jul 19 13:10:53 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Wed Jul 20 01:06:37 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Wed Jul 20 01:06:38 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Wed Jul 20 10:50:48 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Wed Jul 20 10:50:50 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Wed Jul 20 14:34:35 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Wed Jul 20 14:34:36 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...
Time Not Established	Critical (3)	No Ranging Response received - T3 time-out;CM-MAC=70:5a:9e:6...
Time Not Established	Notice (6)	Honoring MDD; IP provisioning mode = IPv4
Wed Jul 20 23:13:44 2022	Warning (5)	DHCP WARNING - Non-critical field invalid in response ;CM-MA...
Wed Jul 20 23:13:46 2022	Notice (6)	TLV-11 - unrecognized OID;CM-MAC=70:5a:9e:62:26:ab;CMTS-MAC=...

Status

Connection : This page displays information on the status of the cable modem's HFC and IP network connectivity.

Startup Procedure		
Procedure	Status	Comment
Acquire Downstream Channel		Locked
Connectivity State	OK	Operational
Boot State	OK	Operational
Configuration File	OK	
Security	Enabled	BPI+

Downstream Channel							
Channel	Lock Status	Modulation	Channel ID	Symbol Rate	Frequency	Power	SNR
1	Locked	QAM256	16	6952000	722000000 Hz	-1.8 dBmV	39.3 dB
2	Locked	QAM256	17	6952000	730000000 Hz	-1.5 dBmV	39.5 dB
3	Locked	QAM256	18	6952000	738000000 Hz	-1.9 dBmV	39.3 dB
4	Locked	QAM256	19	6952000	746000000 Hz	-2.8 dBmV	38.9 dB
5	Locked	QAM256	20	6952000	754000000 Hz	-3.7 dBmV	38.7 dB
6	Locked	QAM256	21	6952000	762000000 Hz	-4.4 dBmV	38.7 dB
7	Locked	QAM256	22	6952000	770000000 Hz	-4.9 dBmV	38.5 dB
8	Locked	QAM256	23	6952000	778000000 Hz	-5.3 dBmV	38.2 dB
9	Locked	QAM256	24	6952000	786000000 Hz	-4.6 dBmV	38.4 dB
10	Locked	QAM256	25	6952000	794000000 Hz	-4.3 dBmV	38.3 dB
11	Locked	QAM256	26	6952000	802000000 Hz	-3.9 dBmV	38.4 dB
12	Locked	QAM256	27	6952000	810000000 Hz	-3.9 dBmV	37.1 dB
13	Locked	QAM256	28	6952000	818000000 Hz	-4.1 dBmV	38.1 dB
14	Locked	QAM256	29	6952000	826000000 Hz	-4.5 dBmV	37.9 dB
15	Locked	QAM256	30	6952000	834000000 Hz	-5.4 dBmV	37.2 dB
16	Locked	QAM256	31	6952000	842000000 Hz	-6.6 dBmV	36.5 dB

Upstream Channel						
Channel	Lock Status	Modulation	Channel ID	Symbol Rate	Frequency	Power
1	Locked	QAM64	1	5120 Ksym/sec	58800000 Hz	47.3 dBmV
2	Locked	QAM64	2	5120 Ksym/sec	52000000 Hz	47.5 dBmV
3	Locked	QAM64	3	5120 Ksym/sec	45200000 Hz	47.0 dBmV
4	Locked	QAM64	4	5120 Ksym/sec	38400000 Hz	47.0 dBmV

CM IP Address	Duration	Expires
---.---.---.---	D: -- H: -- M: -- S: --	--- -- -- --:--:-- ----

Current System Time: Wed Jul 20 23:22:50 2022